

H0001242

Copy
#6

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: D. Tran
DANIEL R. LEGER, ET AL.)	
	:	Group Art Unit: 3661
Application No.: 09/698,278)	
	:	
Filed: October 30, 2000)	
	:	
For: WEATHER INFORMATION)	July 15, 2002
NETWORK INCLUDING	:	
GRAPHICAL DISPLAY)	

VIA HAND CARRY

Commissioner for Patents
Washington, D.C. 20231

SUBMISSION OF PREVIOUSLY-FILED PAPERS

RECEIVED
TECHNOLOGY CENTER 3600
02 JUL 15 AM 10:30

Sir:


Enclosed are copies of papers previously-filed in the U.S. Patent and Trademark Office on February 25, 2002.

At the request of the U.S. Patent and Trademark Office, Applicants are forwarding a signed copy of an Amendment and Petition for Extension of Time (with Transmittal Sheet) that were filed on February 25, 2002. Also attached is a date-stamped receipt card identifying these documents and acknowledging receipt thereof in the U.S. Patent and Trademark Office on February 25, 2002.

Due consideration and passage to issue are respectfully requested.

Applicants' undersigned attorney may be reached in our Washington, D.C.
office by telephone at (202) 530-1010. All correspondence should continue to be directed to
Honeywell's address given below.

Respectfully submitted,



Attorney for Applicants
Scott D. Malpede
Registration No. 32,533

HONEYWELL INTERNATIONAL INC.
Law Department
101 Columbia Road
P.O. Box 2245
Morristown, New Jersey 07962-2245

SDM/vmm

DC_MAIN 102725 v 1

RECEIVED
TECHNOLOGY CENTER 3600
02 JUL 15 AM 10:30

Commissioner for Patents
Washington, D.C. 20231

Date 2/25/02
Mo. Day Yr.

Atty. Docket H0001242

Application No. 09/698278

Our Docket 02158, 006700

Sir:


Kindly acknowledge receipt of the accompanying:

- ☒ Response to Official Action. Oct. 23, 2001 w/claims Ltr
- ☐ Check for \$ _____ (claims fee)
- ☒ Petition under 37 CFR 1.136 and check for \$ 110.00 to Deposit Account
- ☐ Notice of Appeal and Check for \$ _____
- ☐ Information Disclosure Statement, PTO-1449 and _____
- ☐ Claim for priority and certified copies of _____
- ☐ Issue fee transmittal and Check for \$ _____
- ☐ Other (specify) _____

by placing your receiving date stamp hereon and returning to deliverer.

Atty. SDM/rnm

Due Date 2/25/02
Mo. Day Yr.



RECEIVED
TECHNOLOGY CENTER 3600
02 JUL 15 AM 10:30

FOHS-D-00

In re Application of:

Docket No.: H0001242

DANIEL R. LEGER, ET AL.

Application No.: 09/698,278

Examiner: D. Tran

Filed: October 30, 2000

Group Art Unit: 3661

For: WEATHER INFORMATION NETWORK
INCLUDING GRAPHICAL DISPLAY

Date: February 25, 2002

COMMISSIONER FOR PATENTS
Washington, D.C. 20231

RECEIVED
TECHNOLOGY CENTER 3600
02 JUL 15 AM 10:30

Sir:

Transmitted herewith is an Amendment in the above-identified application.

☒ No additional fee is required.

The fee has been calculated as shown below:


CLAIMS AS AMENDED						
	CLAIMS REMAINING AFTER AMENDMENT		HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDITIONAL FEE
TOTAL CLAIMS	39	MINUS	39	= 0	x \$9 \$18	\$ -0-
INDEP. CLAIMS	10	MINUS	10	= 0	x \$42 \$84	\$ -0-
Fee for Multiple Dependent claims \$140°/\$280						
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT---						\$ -0-

☐ °Verified Statement claiming small entity status is enclosed, if not filed previously.

☐ A check in the amount of \$_____ is enclosed.

- ☒ Charge \$ 110.00 to Deposit Account No. 06-1205 to cover the fee for a ONE month extension. A duplicate copy of this sheet is enclosed.
- ☒ Any prior general authorization to charge an issue fee under 37 C.F.R. 1.18 to Deposit Account No. 06-1205 is hereby revoked. The Commissioner is hereby authorized to charge any additional fees under 37 C.F.R. 1.16 and 1.17 which may be required during the entire pendency of this application, or to credit any overpayment, to Deposit Account No. 06-1205. A duplicate copy of this paper is enclosed.
- ☐ A check in the amount of \$_____ to cover the fee for a _____ month extension is enclosed.
- ☐ A check in the amount of \$_____ to cover the Information Disclosure Statement fee is enclosed.
- ☒ Applicants' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,



Attorney for Applicants

Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM/nmm

DC_MAIN 87614 v 1

H0001242

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)	
	:	Examiner: D. Tran
DANIEL R. LEGER, ET AL.)	
	:	Group Art Unit: 3661
Application No.: 09/698,278)	
	:	
Filed: October 30, 2000)	
	:	
For: WEATHER INFORMATION)	February 25, 2002
NETWORK INCLUDING	:	
GRAPHICAL DISPLAY)	

Commissioner for Patents
Washington, D.C. 20231

AMENDMENT AND PETITION FOR EXTENSION OF TIME

Sir:

Applicants petition to extend the time for response to the Office Action dated October 23, 2001, for one month from January 23, 2002 to February 23, 2002. Please charge \$110.00 for payment of the extension fee, and credit any overpayment, to Deposit Account 06-1205.

The Examiner is respectfully requested to amend the above-identified application as follows:

IN THE CLAIMS:

Please amend Claims 1, 2, 6, 8, 9, 14, 19, 24, 28, 32 and 35 as follows. A marked-up copy of the amended claims showing the changes made thereto, is attached. Note that all the claims currently pending in this application, including those not presently being amended, have been reproduced below for the Examiner's convenience.

1. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:
 - a processor unit which processes weather information after it is received onboard the aircraft from a ground-based source containing a plurality of types of weather information; and
 - a graphical user interface which provides a graphical presentation of the weather information to a user onboard the aircraft, and which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft.
2. (Amended) The apparatus of claim 1, wherein the graphical user interface further includes one or more user-selectable options for graphically displaying at least one of convection information, turbulence information, icing information, weather satellite information, SIGMET information, significant weather prognosis information, and winds aloft information.

3. (Unamended) The apparatus of claim 1, wherein the graphical user interface further includes a user-selectable option that allows the user to select what weather information is automatically transmitted from the ground-based source.

4. (Unamended) The apparatus of claim 1, wherein the graphical user interface further includes a user-selectable option for displaying the weather information in cross-sectional view along a route of the aircraft.

5. (Unamended) The apparatus of claim 1, wherein the graphical user interface allows the user to view multiple types of weather data simultaneously.

6. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:

a processor unit which processes weather information after it is received onboard the aircraft from a ground-based source; and

a graphical user interface which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft and provides a plan view of the weather information and position of the aircraft to a user onboard the aircraft, and which includes a user-selectable option for centering the plan view on the position of the aircraft, even as the position of the aircraft changes.

7. (Unamended) The apparatus of claim 6, wherein the graphical user interface further includes a user-selectable option for orienting the plan view so that the aircraft track points upward.

8. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:

a processor unit which processes weather information, including three-dimensional weather information, after it is received onboard the aircraft from a ground-based source; and

a graphical user interface which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft and provides a plan view of the weather information for a selected altitude to a user onboard the aircraft, and which includes a user-selectable option for changing the selected altitude.

9. (Amended) A method of providing convection information to an aircraft, comprising the steps of:

collecting convection information at a centralized data center;

providing a specific request from the aircraft for the convection information;

transmitting the convection information from the data center to an aircraft in response to the request; and

graphically displaying the convection information onboard the aircraft.

10. (Unamended) The method of claim 9, wherein the convection information that is graphically displayed onboard the aircraft includes information regarding convective activity observations.

11. (Unamended) The method of claim 9, wherein the convection information that is graphically displayed onboard the aircraft includes information regarding convective forecasts.

12. (Unamended) The method of claim 9, wherein the convection information is transmitted from the data center to the aircraft via a telephony communication link.

13. (Unamended) The method of claim 9, wherein the convection information is transmitted from the data center to the aircraft via a satellite communication link.

14. (Amended) A method of providing turbulence information to an aircraft, comprising the steps of:

- collecting turbulence information at a centralized data center;
- providing a specific request from the aircraft for the turbulence information;
- transmitting the turbulence information from the data center to an aircraft in response to the request; and
- graphically displaying the turbulence information onboard the aircraft.

15. (Unamended) The method of claim 14, wherein the turbulence information that is graphically displayed onboard the aircraft includes information regarding turbulence observations.

16. (Unamended) The method of claim 14, wherein the turbulence information that is graphically displayed onboard the aircraft includes information regarding turbulence forecasts.

17. (Unamended) The method of claim 14, wherein the turbulence information is transmitted from the data center to the aircraft via a telephony communication link.

18. (Unamended) The method of claim 14, wherein the turbulence information is transmitted from the data center to the aircraft via a satellite communication link.

19. (Amended) A method of providing icing information to an aircraft, comprising the steps of:

collecting icing information at a centralized data center;

providing a specific request from the aircraft for the convection information;

transmitting the icing information from the data center to an aircraft in response to the request; and

graphically displaying the icing information onboard the aircraft.

20. (Unamended) The method of claim 19, wherein the icing information that is graphically displayed onboard the aircraft includes information regarding icing observations.

21. (Unamended) The method of claim 19, wherein the icing information that is graphically displayed onboard the aircraft includes information regarding icing forecasts.

22. (Unamended) The method of claim 19, wherein the icing information is transmitted from the data center to the aircraft via a telephony communication link.

23. (Unamended) The method of claim 19, wherein the icing information is transmitted from the data center to the aircraft via a satellite communication link.

24. (Amended) A method of providing weather satellite information to an aircraft, comprising the steps of:

collecting weather satellite information at a centralized data center;

providing a specific request from the aircraft for the weather satellite information;

transmitting the weather satellite information from the data center to an aircraft in response to the request; and

graphically displaying the weather satellite information onboard the aircraft.

25. (Unamended) The method of claim 24, wherein the weather satellite information that is graphically displayed onboard the aircraft is altitude based.

26. (Unamended) The method of claim 24, wherein the weather satellite information is transmitted from the data center to the aircraft via a telephony communication link.

27. (Unamended) The method of claim 24, wherein the weather satellite information is transmitted from the data center to the aircraft via a satellite communication link.

28. (Amended) A method of providing SIGMET information to an aircraft, comprising the steps of:

collecting SIGMET information at a centralized data center;
providing a specific request from the aircraft for the SIGMET information;
transmitting the SIGMET information from the data center to an aircraft in response to the request; and
graphically displaying the SIGMET information onboard the aircraft.

29. (Unamended) The method of claim 28, wherein the SIGMET information is transmitted from the data center to the aircraft via a telephony communication link.

30. (Unamended) The method of claim 28, wherein the SIGMET information is transmitted from the data center to the aircraft via a satellite communication link.

31. (Unamended) The method of claim 28, wherein the SIGMET information is graphically displayed in the form of geometric shapes representing areas affected by SIGMETs.

32. (Amended) A method of providing significant weather prognosis information to an aircraft, comprising the steps of:

- collecting significant weather prognosis information at a centralized data center;
- providing a specific request from the aircraft for the weather prognosis information;
- transmitting the significant weather prognosis information from the data center to an aircraft in response to the request; and
- graphically displaying the significant weather prognosis information onboard the aircraft.

33. (Unamended) The method of claim 32, wherein the significant weather prognosis information is transmitted from the data center to the aircraft via a telephony communication link.

34. (Unamended) The method of claim 32, wherein the significant weather prognosis information is transmitted from the data center to the aircraft via a satellite communication link.

35. (Amended) A method of providing winds aloft information to an aircraft, comprising the steps of:

collecting winds aloft information at a centralized data center;
providing a specific request from the aircraft for the winds aloft information;
transmitting the winds aloft information from the centralized data center to an aircraft in response to the request; and
graphically displaying the winds aloft information onboard the aircraft.

36. (Unamended) The method of claim 35, wherein the winds aloft information that is graphically displayed onboard the aircraft includes information regarding winds aloft observations.

37. (Unamended) The method of claim 35, wherein the winds aloft information that is graphically displayed onboard the aircraft includes information regarding winds aloft forecasts.

38. (Unamended) The method of claim 35, wherein the winds aloft information is transmitted from the data center to the aircraft via a telephony communication link.

39. (Unamended) The method of claim 35, wherein the winds aloft information is transmitted from the data center to the aircraft via a satellite communication link.

REMARKS

Claims 1-39 are presented for consideration, with Claims 1, 6, 8, 9, 14, 19, 24, 28, 32 and 35 being independent.

The independent claims have been amended to further distinguish Applicants' invention from the cited art.

Initially, Claims 1-5, 24-30, 32-35, 38 and 39 stand rejected under 35 U.S.C. §102(b) as allegedly being anticipated by Crabill '024. Claims 6 and 7 stand rejected under 35 U.S.C. §102(b) as allegedly being anticipated by Cline '775, Claims 8 and 14-23 stand rejected as allegedly being anticipated by Zheng '816, and Claims 9-11 stand rejected as allegedly being anticipated by Bateman '756. In addition, Claims 36 and 37 are rejected under 35 U.S.C. §103 as allegedly being obvious over Crabill in view of Cline, Claims 12 and 13 are rejected as allegedly being obvious over Bateman in view of Zheng, and Claim 31 is rejected as allegedly being obvious over Crabill in view of Zheng. These rejections are respectfully traversed.

Applicants' invention as set forth in Claim 1 relates to an apparatus for providing weather information onboard an aircraft, and includes a processor unit which processes weather information after it is received onboard the aircraft from a ground-based source containing a plurality of types of weather information, and a graphical user interface which provides a graphical presentation of the weather information to a user onboard the aircraft. As amended, Claim 1 recites that the graphical user interface includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft.

Claims 6 and 8 relate to an apparatus for providing weather information onboard an aircraft, and also include a processor unit and a graphical user interface. As in Claim 1, these claims have been amended to recite that the graphical user interface includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft. In Claim 6, the graphical user interface also provides a plan view of the weather information and the position of the aircraft to a user onboard the aircraft, and includes a user-selectable option for centering the plan view on the position of the aircraft, even as the position of the aircraft changes. In Claim 8 the graphical user interface provides a plan view of the weather information for a selected altitude to a user onboard the aircraft, and includes a user-selectable option for changing the selected altitude.

Claim 9 relates to a method of providing convection information to an aircraft, and includes the steps of collecting convection information at a centralized data center, providing a specific request from the aircraft for the convection information, and transmitting the convection information from the data center to an aircraft in response to the request.

Claims 14, 19, 24, 28, 32 and 35 also relate to a method of providing different types of weather-related information to an aircraft. These claims have been amended along the same lines as Claim 9 to include the step of providing a specific request from the aircraft for the information, and transmitting the information from the centralized data center to the aircraft in response to the request.

In accordance with Applicants' claimed invention, the user is able to request specific weather information to be transmitted from a ground-based source or a data center. In this way, the information received onboard the aircraft can be tailored specifically to the onboard user's needs and unwanted information is not received.

The primary citation to Crabill relates to an automated weather support system for providing weather information from the ground to the pilot of an aircraft. The weather data is broadcast in blocks by a transmitter 19 to a communications satellite 15, and then rebroadcast to a receiver 22 and a flight processor 25 onboard the aircraft.

In contrast to Applicants' claimed invention, however, Crabill does not teach or suggest, inter alia, an interface that allows a user to request specific information for transmission from the ground-based source to the aircraft. On this point, the Office Action asserts that, with respect to Claims 2 and 3, Crabill's graphical user interface "allows the user to request specific weather information, and what weather information for transmission from the ground-based source to the aircraft." This assertion is respectfully traversed. The weather information system in Crabill is a "broadcast" type system in which data blocks of weather information are automatically and continuously sent to the aircraft. Crabill does not allow for an onboard user to request specific information from the ground-based source. The portion of Crabill referred to in

the Office Action, i.e., column 3-4, lines 56-8, is understood to allow for the pilot to select from data that is already received onboard the aircraft.

Accordingly, reconsideration and withdrawal of the rejection of Claims 1-5, 24-30, 32-35, 38 and 39 under 35 U.S.C. §102(b) is respectfully requested.

The patent to Cline relates to a flight planning system and was cited for its teaching of a processor unit and a graphical user interface that provides a plan view of the weather information and a position of the aircraft to a user onboard the aircraft.

Cline fails to teach or suggest, however, among other features, a graphical user interface that includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft. Accordingly, reconsideration and withdrawal of the rejection of Claims 6 and 7 under 35 U.S.C. §102(b) is respectfully requested.

The patent to Zheng relates to a clear air turbulence detection system and was cited for its teaching of a processor unit and a graphical user interface that provides a plan view of the weather information for a selected altitude to a user onboard the aircraft.

In contrast to Claims 8, 14 and 19, however, Zheng does not teach or suggest, among other features, allowing the user to request specific weather information for transmission from the ground-based source to the aircraft (Claim 8), or transmitting specific weather information from a data center to the aircraft in response to a specific request from the aircraft for that information (Claims 14 and 19). Accordingly, reconsideration and withdrawal of the rejection of Claims 8 and 14-23 under 35 U.S.C. §102(e) is respectfully requested.

The Bateman patent relates to an aircraft weather information system and was cited for allegedly teaching a method of collecting and transmitting convection information from


the data center to the aircraft and graphically displaying the convection information onboard the aircraft. In contrast to Applicants' claimed invention, however, Bateman does not teach or suggest providing a specific request from the aircraft for the convection information, and transmitting the convection information from the data center to the aircraft in response to the request. Accordingly, reconsideration and withdrawal of the rejection of Claims 9-11 under 35 U.S.C. §102(e) is respectfully requested.

For the reasons discussed above, none of the cited art teaches or suggests Applicants' claimed invention. Therefore, without conceding the propriety of combining Crabill and Cline, Bateman and Zheng or Crabill and Zheng in the manner proposed in the Office Action, such combinations still fail to teach or suggest Applicants' claimed invention. Therefore, reconsideration and withdrawal of the rejections of Claims 12, 13, 31, 36 and 37 under 35 U.S.C. §103 are also respectfully requested.

In view of the foregoing, reconsideration and allowance of this application is deemed to be in order and such action is respectfully requested.

Applicants' undersigned attorney may be reached in our Washington, D.C.
office by telephone at (202) 530-1010. All correspondence should continue to be directed to our
below-listed address.

Respectfully submitted,



Attorney for Applicants

Registration No. 32,533

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200

SDM\mm

DC_MAIN 87614 v 1

VERSION WITH MARKINGS TO SHOW CHANGES MADE TO CLAIMS

1. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:

a processor unit which processes weather information after it is received onboard the aircraft from a ground-based source containing a plurality of types of weather information; and

a graphical user interface which provides a graphical presentation of the weather information to a user onboard the aircraft, and which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft [one or more user-selectable options for graphically displaying at least one of convection information, turbulence information, icing information, weather satellite information, SIGMET information, significant weather prognosis information, and winds aloft information].

2. (Amended) The apparatus of claim 1, wherein the graphical user interface further includes one or more user-selectable options for graphically displaying at least one of convection information, turbulence information, icing information, weather satellite information, SIGMET information, significant weather prognosis information, and winds aloft information [a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft].

6. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:

a processor unit which processes weather information after it is received onboard the aircraft from a ground-based source; and

a graphical user interface which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft and provides a plan view of the weather information and position of the aircraft to a user onboard the aircraft, and which includes a user-selectable option for centering the plan view on the position of the aircraft, even as the position of the aircraft changes.

8. (Amended) An apparatus for providing weather information onboard an aircraft, comprising:

a processor unit which processes weather information, including three-dimensional weather information, after it is received onboard the aircraft from a ground-based source; and

a graphical user interface which includes a user-selectable option that allows the user to request specific weather information for transmission from the ground-based source to the aircraft and provides a plan view of the weather information for a selected altitude to a user onboard the aircraft, and which includes a user-selectable option for changing the selected altitude.

9. (Amended) A method of providing convection information to an aircraft, comprising the steps of:

collecting convection information at a centralized data center;

providing a specific request from the aircraft for the convection information;

transmitting the convection information from the data center to an aircraft in response to the request; and

graphically displaying the convection information onboard the aircraft.

14. (Amended) A method of providing turbulence information to an aircraft, comprising the steps of:

collecting turbulence information at a centralized data center;

providing a specific request from the aircraft for the turbulence information;

transmitting the turbulence information from the data center to an aircraft in response to the request; and

graphically displaying the turbulence information onboard the aircraft.

19. (Amended) A method of providing icing information to an aircraft, comprising the steps of:

collecting icing information at a centralized data center;

providing a specific request from the aircraft for the convection
information;
transmitting the icing information from the data center to an aircraft in
response to the request; and
graphically displaying the icing information onboard the aircraft.

24. (Amended) A method of providing weather satellite information to an aircraft, comprising the steps of:

collecting weather satellite information at a centralized data center;
providing a specific request from the aircraft for the weather satellite
information;
transmitting the weather satellite information from the data center to an aircraft in response to the request; and
graphically displaying the weather satellite information onboard the aircraft.

28. (Amended) A method of providing SIGMET information to an aircraft, comprising the steps of:

collecting SIGMET information at a centralized data center;
providing a specific request from the aircraft for the SIGMET
information;

transmitting the SIGMET information from the data center to an aircraft in response to the request; and
graphically displaying the SIGMET information onboard the aircraft.

32. (Amended) A method of providing significant weather prognosis information to an aircraft, comprising the steps of:

collecting significant weather prognosis information at a centralized data center;

providing a specific request from the aircraft for the weather prognosis information;

transmitting the significant weather prognosis information from the data center to an aircraft in response to the request; and

graphically displaying the significant weather prognosis information onboard the aircraft.

35. (Amended) A method of providing winds aloft information to an aircraft, comprising the steps of:

collecting winds aloft information at a centralized data center;

providing a specific request from the aircraft for the winds aloft information;

transmitting the winds aloft information from the centralized data
center to an aircraft in response to the request; and
graphically displaying the winds aloft information onboard the aircraft.